



## SIRIM QAS INTERNATIONAL SDN. BHD.

(No. Syarikat 199601037981(410334-X))

1, Persiaran Dato' Menteri, Seksyen 2, Peti Surat 7035, 40700 Shah Alam, Selangor Darul Ehsan, Malaysia  
Tel : 603-5544 6000 Emel : cserviceqas@sirim.my www.sirim-qas.com.my

File No : P5-020299  
Licence No : PC013560

Date : 28/04/2025

KG DONGBU STEEL CO., LTD.  
5F, KG TOWER, 92 TONGIL-RO  
JUNG-GU  
04517 SEOUL  
SEOUL, KOREA

Attn : DONG-JOO, KIM

Tel No : 0082-413518473

Fax No : -

Dear Sir/Madam,

### **Product Certification Licence**

Product : ELECTROLYTIC ZINC-COATED STEEL SHEET AND STRIP  
Standard : MS 2543 : 2014

---

With regards to your request for new/renewal/changes of licence(s) under the SIRIM Product Certification Licence scheme, enclosed please find the copy of the licence(s) and the certification report(s) for your safe keeping.

For enquiry, please contact

Officer Name : MUHAMMAD FAIZAL BIN JAMALUDIN  
Contact No : 6013-4561156  
Email : faizalj@sirim.my

Thank you.

*This is a computer generated document. No signature is required.*

# LESEN PENSIJILAN BARANGAN

## *Product Certification Licence*



SIRIM

**SIRIM QAS International Sdn. Bhd. dengan ini menganugerahkan kepada  
SIRIM QAS International Sdn. Bhd. hereby grants to**

**KG DONGBU STEEL CO., LTD.  
5F, KG TOWER, 92 TONGIL-RO  
JUNG-GU  
04517 SEOUL  
SEOUL, KOREA**



ACB 001

**Lesen untuk menggunakan Tanda Pensijilan di atas barangan  
a licence to use the Certification Mark on**

**ELECTROLYTIC ZINC-COATED STEEL SHEET AND STRIP**

**Please refer to detail in the SCHEDULE**



**sebagai mematuhi keperluan  
as complying with**

**MS 2543 : 2014**



**Ts. Md. Adha bin Katni @ Rahmat**  
Pemangku Ketua Pegawai Eksekutif  
*Acting Chief Executive Officer*  
SIRIM QAS International Sdn. Bhd.



# SCHEDULE

**KG DONGBU STEEL CO., LTD.**



Trade Mark : COMPANY ID = DONGBU STEEL CO., LTD.  
Model : GRADE SYMBOL = SECC;  
TEMPER = S (STANDARD TEMPER GRADE)  
Rating : COATING MASS = E8; E16  
Type : SURFACE TREATMENT = C (MILL PASSIVATION); P (MILL PHOSPHATE); U  
(UNTREATED); O (OILED); X (UNOILED); PRODUCT SHAPE = COIL  
Size : BASE METAL THICKNESS (mm) = 0.30 - 1.60;  
MAXIMUM WIDTH (mm) = 1350



Trade Mark : COMPANY ID = DONGBU STEEL CO., LTD.  
Model : GRADE SYMBOL = SECD;  
TEMPER = S (STANDARD TEMPER GRADE)

Rating : COATING MASS = E8; E16  
Type : SURFACE TREATMENT = C (MILL PASSIVATION); P (MILL PHOSPHATE); U  
(UNTREATED); O (OILED); X (UNOILED); PRODUCT SHAPE = COIL  
Size : BASE METAL THICKNESS (mm) = 0.30 - 1.60;  
MAXIMUM WIDTH (mm) = 1350



Trade Mark : COMPANY ID = DONGBU STEEL CO., LTD.  
Model : GRADE SYMBOL = SECE;  
TEMPER = S (STANDARD TEMPER GRADE)  
Rating : COATING MASS = E8; E16  
Type : SURFACE TREATMENT = C (MILL PASSIVATION); P (MILL PHOSPHATE); U  
(UNTREATED); O (OILED); X (UNOILED); PRODUCT SHAPE = COIL  
Size : BASE METAL THICKNESS (mm) = 0.30 - 1.60;  
MAXIMUM WIDTH (mm) = 1350

**Factory Name and Location :**  
**KG DONGBU STEEL CO., LTD.**  
**1228, BUKBUSANEOP-RO**  
**SONGAK-EUP**  
**31719 DANGJIN-SI**  
**CHUNGNAM, KOREA**

**End of page**