



भारतीय राष्ट्रीय मानक संस्थान
NATIONAL STANDARDS BODY OF INDIA



भारत सरकार
GOVERNMENT OF INDIA

भारतीय मानक ब्यूरो
BUREAU OF INDIAN STANDARDS

उपभोक्ता मामले, खाद्य एवं
सार्वजनिक वितरण मंत्रालय
MINISTRY OF CONSUMER AFFAIRS,
FOOD & PUBLIC DISTRIBUTION

AIRMAIL/ SPEED POST

Our Ref.: FMCD/CM/L- 4100303360

Dated: 06-02-2026

Subject: Grant of BIS Certification Marks Licence No. CM/L- 4100303360 as per IS 277 : 2018

M/s KG Dongbu Steel Co. Ltd.
1228 Bukbusaneop-ro, Songak-eup,
Chungcheongnam-do State Dangjin-si –
Republic of Korea

Dear Sir/Madam (s),

With reference to your application A-4107013 we are pleased to inform you that it has been decided to grant you a licence to use BIS Standard Mark in respect of the following:

Product: Galvanized Steel Strips and Sheets

i) Please refer annex I for scope of licence.

As per IS 277 : 2018

2. The number assigned to this Licence is **CM/L- 4100303360** which has been made operative from **03-02-2026** and is valid up to **02-02-2027**. The licence number shall invariably be referred to in your future correspondence.

3. The licence is granted on the explicit condition that you shall mark entire production under scope of licence with Standard Mark and maintain conformity to the relevant Indian Standards. Accordingly, you shall cover the entire production under scope of licence with Standard Mark and maintain conformity to the relevant Indian Standards. In addition, you shall display the BIS product certification licence held by you prominently at your premises and also mention the BIS product certification licence held by you in your commercial advertisements.

4. According to Sub-Paragraph (1) & (3) of Paragraph 5 of Scheme-I of Schedule-II under Bureau of Indian Standards (Conformity Assessment) Regulations, 2018, the **annual licence fee of Rs 1000.00** and the **marking fee of Rs.47,000.00** for use of Standard Mark as per Annexure-I of Scheme-I of BIS (Conformity Assessment) Regulations, 2018 is payable by you **with effect from 03-02-2026** for the period of validity of licence in advance.

5. Minimum Marking fee stipulated in Annexure-I of Scheme-I of BIS (Conformity Assessment) Regulations, 2018 is payable by you regardless of the fact whether you actually mark your product or not with the Standard Mark. **Our Receipt No. HQNDNT2025003824 dated 03-02-2026** for the licence fee and the minimum marking fee for the first operative period is enclosed.
6. This advance minimum marking fee will be carried over to the next year on every renewal. The actual marking fee calculated on the unit rate on the production marked or the minimum marking fee, whichever is higher, shall be payable by you at the time of renewal.
7. With a view to streamlining the reporting of quantity marked, calculation and collections of marking fee on the unit rate basis, fees will be calculated on the production marked during the first nine months of operation of the licence at the time of first renewal and the production marked during twelve months comprising the last three months of the previous operative year and the first nine months of the current operative year, at the time of the second and subsequent renewals. In case the licence expiry date shall be taken into account for calculating the marking fee payable.
8. The Scheme of Inspection and Testing as specified by BIS will have to be implemented by your organization strictly and completely. The supervision of the operation of the scheme shall be done by a person responsible for the quality control function in your organization. Kindly inform us the name and designation of the person who will be held responsible for the operation and maintenance of the Scheme. Any future change in this respect will have to be communicated by you to us and when these takes place.
9. We are enclosing a sheet giving the preferred dimensions of the Standard Mark to enable you to prepare the designs of the Standard Mark for marking the above product. Photographic reduction in any size is permissible. This will ensure the relative proportions of the different dimensions maintained. Preferred dimensions may be used as far as possible.
10. On commencement of marking of your product for which you are licensed, you may advertise your product with Standard Mark in various media only during the validity of your licence. The use of Standard Mark on letterheads and publicity literature will be permitted only on receipt of your assurance that in the event of cancellation or lapsing of your licence, the Standard Mark on your letterheads, publicity literatures etc, will be destroyed/obliterated.
11. The Licence is granted for your manufacturing premises situated at **1228 Bukbusaneop-ro, Songak-eup, Chungcheongnam-do State Dangjin-si – Republic of Korea** and the rights and privileges under the licence shall not be exercised by any other firm/company/factory, etc. This licence is not transferable. In the event of shifting of the manufacturing and testing equipment from the licensed premises to some other place, use of Standard Mark shall be stopped till the new premises are inspected and found to be satisfactory by BIS in respect of manufacturing and testing facilities available there and the address of the new premises is enclosed in the licence.
12. You are also advised to make yourself and other employees in your organization aware about the provisions of BIS Act, 2016 and Rules and Regulations framed thereunder especially the implications in case of any intentional or unintentional non-adherence.
13. You are requested to furnish the Agreement for grant of licence, duly executed on a **non-judicial stamp papers of Rs.100.00**, incorporating the terms and conditions of the BIS certification marks licence granted to you, as per the format enclosed with 15 days of issue of the letter.
14. You are required to furnish a **Bank Guarantee for USD 10,000 (US Dollars ten Thousand only)** having validity of six months more than the validity of the licence issued by any Bank to the satisfaction of BIS by way of performance security Bond for due compliance of the provisions of the BIS Act, 2016, the Rules and Regulations framed thereunder, and the terms and conditions of this agreement, as per format enclosed herewith within 45 days of issue of this letter.
15. You are also required to submit an **Indemnity Bond** to declare BIS harmless and indemnified in respect of any third-party claims with regard to conformity of your products to the correspondence Indian

15. You are also required to submit an **Indemnity Bond** to declare BIS harmless and indemnified in respect of any third-party claims with regard to conformity of your products to the correspondence Indian Standards under the afore-mentioned BIS licence granted to you, as per format enclosed herewith within 15 days of issue of this letter.


16. Kindly acknowledge receipt of this letter.

Notes: (1) Performance Bank Guarantee (PBG) (para 14 above) shall be issued by any Bank having RBI approved branch in INDIA. Original PBG shall be endorsed & routed / forwarded through the Indian branch.

(2) Kindly note that if the time norms indicated in para 13, 14, and 15 above are not complied with, BIS may be constrained to take actions as per norms including stoppage of marking for the licence.

Thanking you.

Yours faithfully,


(Manish Kumar)
Sc. E & Head (FMCD)

Copy to: **Mr. Arsazzamal Babu**
H.No.8C, Saini Vihar Colony,
Barwala Road, Derabassi,
Mohali, Sas Nagar – 140507
Punjab

Annexure-II
 (Refer sub-paragraph (1) of paragraph 6 of Scheme - I)

STANDARD MARK




Figure 1 MONOGRAM FOR STANDARD MARK

The monogram of the Standard Mark consists of the pictorial representation, drawn in the exact style as indicated in Figure 1 and in relative proportions as given in Table 1.

Table 1 Preferred Dimensions of Monogram
 All dimensions in millimeters

A	B	a	R	r	SIZE OF LETTERS
2.5	1.9	0.2	0.4	-	1.0 mm
5	3.8	0.4	0.8	0.1	1.0 mm
10	7.5	0.7	1.7	0.2	2.0 mm
20	15	1.5	3.3	0.5	3.0 mm
40	30	2.9	6.7	1.0	4.0 mm
80	60	5.9	13.4	1.9	6.0 mm
160	120	11.7	26.7	3.8	10.0 mm
320	240	23.4	53.4	7.6	16.0 mm

Conditions of the licence

- (1) The design of Standard Mark shall be identical to the facsimile given in the licence.**
- (2) The photographic enlargement or reduction of the Standards Mark may also be used, unless otherwise specified by the Bureau.**
- (3) The licensee shall be responsible for the conformity of the goods, article, process, system or service to the Indian Standard in relation to which Standard Mark is used or applied.**
- (4) The licensee shall not use the Standard Mark in relation to goods, articles, process, system or service which are non-conforming or outside the scope of the licence.**
- (5) If goods and articles in relation to which a Standard Mark has been used do not conform to the requirements of the relevant standard, the Bureau may direct the licensee or his representative to recall such non-conforming goods.**
- (6) The Standard Mark shall not be used or applied in relation to any goods, article, process, system or service during deferment or suspension, or after expiry or cancellation of the licence.**
- (7) The licensee shall comply with the provisions of the conformity assessment scheme under which licence is granted, including labeling and marking requirements.**
- (8) The licensee shall maintain records as specified by the Bureau from time to time.**
- (9) The licensee shall provide the Bureau all assistance in connection with carrying out inspection or audit at its premises.**
- (10) The licensee shall provide information relating to production and use or applying of Standard Mark as and when it is required by the Bureau.**
- (11) If the licence is granted to use or apply Standard Mark on goods or articles, the licensee shall provide the list of consignees, distributors, dealers or retailers to whom goods or articles with Standard Mark is supplied.**
- (12) The licence shall not be transferred to any person without approval of the Bureau.**
- (13) If a complaint regarding quality of any goods, article, process, system or service bearing Standard Mark is established, the Bureau may direct the licensee or his representative to repair or replace or reprocess the standard marked goods and articles.**
- (14) The Bureau shall have the right to amend any of the conditions of licence by giving a notice of not less than one month to the licensee.**

ANNEX – I
Scope of Licence

LICENCE NO. CM/L- 4100303360

NAME OF LICENSEE – KG Dongbu Steel Co. Ltd., Republic of Korea

Name of the product	Grade	Designation	Class of coating	Coating Finish Type	Surface Treatment	Dimensions
Galvanized Steel Strips and Sheets (Plain)	Ordinary	GP	upto 275	E	CO	Coil Thickness: - 0.30 to 1.20 mm Width: - 700 to 1600 mm Sheets Thickness: - 0.30 to 1.20 mm Width: - 700 to 1600 mm Length:- 300 to 2500 mm
	Drawing (Lock forming)	GPL	upto 120	E	TOC	Coil Thickness: - 0.30 to 2.00 mm Width: - 700 to 1600 mm Sheets Thickness: - 0.30 to 2.00 mm Width: - 700 to 1600 mm Length:- 300 to 2500 mm
	Deep drawing	GPD	upto 120	E	TOC	Coil Thickness: - 0.30 to 2.00 mm Width: - 700 to 1600 mm Sheets Thickness: - 0.30 to 2.00 mm Width: - 700 to 1600 mm Length:- 300 to 2500 mm
	Extra deep drawing	GPED	upto 120	E	TOC	Coil Thickness: - 0.30 to 2.00 mm Width: - 700 to 1600 mm Sheets Thickness: - 0.30 to 2.00 mm Width: - 700 to 1600 mm Length:- 300 to 2500 mm
	Structural steel grade 230	GP230	upto 275	M	C	Coil Thickness: - 0.30 to 1.87 mm Width: - 700 to 1600 mm Sheets Thickness: - 0.30 to 1.87 mm Width: - 700 to 1600 mm Length:- 300 to 2500 mm
	Structural steel grade 250	GP250	upto 275	E	C	Coil Thickness: - 0.30 to 1.5 mm Width: - 700 to 1600 mm Sheets Thickness: - 0.30 to 1.5 mm Width: - 700 to 1600 mm Length:- 300 to 2500 mm
	Structural steel grade 275	GP275	upto 275	E	C	Coil Thickness: - 0.30 to 1.5 mm Width: - 700 to 1600 mm Sheets Thickness: - 0.30 to 1.5 mm Width: - 700 to 1600 mm Length:- 300 to 2500 mm

	Structural steel grade 350 Class-1	GP350 Class-1	upto 120	M	C	Coil Thickness: - 0.30 to 2.30 mm Width: - 700 to 1600 mm Sheets Thickness: - 0.30 to 2.30 mm Width: - 700 to 1600 mm Length:- 300 to 2500 mm
	Structural steel grade 350 Class-2	GP350 Class-2	upto 120	M	C	Coil Thickness: - 0.30 to 2.30 mm Width: - 700 to 1600 mm Sheets Thickness: - 0.30 to 2.30 mm Width: - 700 to 1600 mm Length:- 300 to 2500 mm
	Structural steel grade 550	GP550	upto 180	E	C	Coil Thickness: - 0.30 to 1.20 mm Width: - 700 to 1600 mm Sheets Thickness: - 0.30 to 1.20 mm Width: - 700 to 1600 mm Length:- 300 to 2500 mm


(Manish Kumar)
Sc. E & Head (FMCD)

Tax Invoice

(ORIGINAL FOR RECIPIENT)

(SUPPLY MEANT FOR EXPORT/SUPPLY TO SEZ UNIT OR SEZ DEVELOPER FOR AUTHORISED OPERATIONS ON PAYMENT OF IGST)

BUREAU OF INDIAN STANDARDS 9 BAHADUR SHAH ZAFAR MARG, NEW DELHI-110002 GSTIN/UIN: 07AAATB0431G1ZD State Name : Delhi, Code : 07	Invoice No. HQNDNT2025003824	Dated 3-Feb-26
	Delivery Note	Mode/Terms of Payment
	Reference No. & Date. FMCD dt. 3-Feb-26	Other References
Consignee (Ship to) KG DONGBU STEEL CO., LTD., SOUTH KOREA SOUTH KOREA	Buyer's Order No.	Dated
	Dispatch Doc No.	Delivery Note Date
	Dispatched through	Destination
	Country: South Korea (ROK)	
Buyer (Bill to) KG DONGBU STEEL CO., LTD., SOUTH KOREA SOUTH KOREA	Terms of Delivery	

SI No.	Particulars	HSN/SAC	Quantity	Rate	per	Amount
1	PRODUCT CERT-. OVERSEAS-Export Service NON TAXABLE	998393				1,32,395.00
Total						₹ 1,32,395.00

Amount Chargeable (in words) E. & O.E

INR One Lakh Thirty Two Thousand Three Hundred Ninety Five Only

HSN/SAC	Taxable Value
998393	1,32,395.00
Total	1,32,395.00

Tax Amount (in words) : **NIL**

Remarks:
BANK CREDIT A/C NO. 218/24625 DT 31.1.2026 US \$ 1443.00

Customer's Seal and Signature for BUREAU OF INDIAN STANDARDS



This is a Computer Generated Invoice

*A-4107013 - INR 48,000/- used towards
 remaining - INR 84,395/-*